



Monterey Peninsula Airport District

RECEIVED

MAR 22 2007

MPWMD

Board of Directors

Leonard McIntosh
Chairman
Robert DeVoe
Carl Miller
Dana Petrak
Richard Searle

Executive Staff

Thomas Greer, AAE
General Manager
Barbara Sadler
District Secretary
David Willoughby
District Counsel

March 19, 2007

Mr. David A. Berger
General Manager
Monterey Peninsula Water Management District
5 Harris Court, Building G
Post Office Box 85
Monterey, CA 93942-0085

Dear David:

Enclosed is a copy of Resolution No. 1425 accepting current and future projected water needs for the Airport District. This Resolution was passed and adopted by the Monterey Peninsula Airport District's Board of Directors at the March 14th Regular Meeting.

If you have any questions, please give me a call at (831) 648-7000 ext. 207.

Sincerely,

A handwritten signature in black ink, appearing to read 'Tom', written over a horizontal line.

Thomas E. Greer
General Manager

Enclosure

RECEIVED

MAR 27 2007

RESOLUTION NO. 1425

MPWMD

A RESOLUTION AUTHORIZING AND APPROVING THE CURRENT AND FUTURE PROJECTED WATER NEEDS FOR THE MONTEREY PENINSULA AIRPORT DISTRICT AS OUTLINED BY THE MONTEREY PENINSULA WATER MANAGEMENT DISTRICT IN TECHNICAL MEMORANDUM 2006-02

WHEREAS, the Monterey Peninsula Water Management District (MPWMD) has examined the current and future water needs of the Monterey Peninsula in Technical Memorandum 2006-02 that sets forth targets for current and future water demand that now and will in the future affect the Monterey Peninsula Airport District, and

WHEREAS, Monterey Peninsula Airport District Staff has reviewed Technical Memorandum 2006-02 and concurs with its author's findings, specifically as they affect the Monterey Peninsula Airport District,


NOW BE IT RESOLVED BY THE BOARD OF DIRECTORS OF THE MONTEREY PENINSULA AIRPORT DISTRICT: That the results of Technical Memorandum 2006-02, performed by the Monterey Peninsula Water Management District, are hereby accepted, and the current annual water need of 12,500 acre feet along with a future projected need of 4,500 acre feet per year, as presented in said Technical Memorandum, are hereby approved.

AND BE IT FURTHER RESOLVED: That there be filed a copy of this resolution with the Monterey Peninsula Water Management District.

PASSED AND ADOPTED BY THE BOARD OF DIRECTORS OF THE MONTEREY PENINSULA AIRPORT DISTRICT: This 14th day of March 2007, by the following roll call vote:


AYES:	DIRECTORS:	Vice-Chair Devoe, Petrak, Searle
NOES:	DIRECTORS:	None
ABSTAIN:	DIRECTORS:	McIntosh, Miller
ABSENT:	DIRECTORS:	None

Signed this 14th day of March 2007



Robert DeVoe, Vice-Chairman

ATTEST


Charles R. Hayes
Acting District Secretary



CITY OF DEL REY OAKS

650 CANYON DEL REY RD. • DEL REY OAKS, CALIFORNIA 93940
PHONE (831) 394-8511 • FAX (831) 394-6421

OFFICE OF The Mayor

RECEIVED

February 28, 2007

MPWMD

Mr. David Berger, General Manager
Monterey Peninsula Water Management District
5 Harris Court, Bldg #G
Monterey, Ca 93940


Re: Existing & Water needs of the Monterey Peninsula

Dear Mr. Berger,

At their February 27, 2007 meeting, the Del Rey Oaks City Council supported the 12,500 AFA for replacement needs and the 4,500 AFA for the future water needs of Cities and Agencies with the jurisdiction of the MPWMD.

Sincerely

Joseph P. Russell
Mayor



RECEIVED

MAR 23 2007

MPWMD

March 21, 2007

Mayor:
CHUCK DELLA SALA

Councilmembers:
LIBBY DOWNEY
JEFF HAFERMAN
NANCY SELFRIDGE
FRANK SOLLECITO

City Manager:
FRED MEURER

David Berger, General Manager
Monterey Peninsula Water Management District
P.O. Box 85
Monterey CA 93942

Subject: Replacement and Future Water Needs Estimates


Dear Mr. Berger:

Thank you for the correspondence dated November 20, 2006 requesting approval of your estimates for replacement and future water needs. On March 20, 2007, the City Council of the City of Monterey reviewed and approved the proposed water needs. The Council authorized me to confirm the approval through this correspondence.

Thank you for continuing to work closely with us on long-term water needs and a water supply project. We will continue to develop short-term water supply solutions and request your on-going support.

Please contact me at 646-3760 if you have any questions or require additional information.

Sincerely,


Fred Meurer
City Manager

c: Mayor and City Council
Bill Reichmuth, Director of PEE&C
Chip Rerig, Senior Planner

CITY OF MONTEREY

RECEIVED

MAR 19 2007

MPWMD

TO: City Manager
FROM: Senior Planner Rerig
DATE: March 20, 2007
SUBJECT: Authorizing Transmittal of Correspondence to the Monterey Peninsula Water Management District Approving Quantity Targets for Current Replacement and Future Water Needs of the Monterey Peninsula; Exempt from CEQA Requirements.

RECOMMENDATION

That the City Council authorize transmittal of the attached letter.

POLICY IMPLICATIONS

The requested correspondence provides the Monterey Peninsula Water Management District (MPWMD) with the City's approval of current replacement and future water needs as calculated by MPWMD. Referenced future water needs of the City are based on the 2005 General Plan.

FISCAL IMPLICATIONS

None.

ENVIRONMENTAL DETERMINATION

Exempt from the requirements of the California Environmental Quality Act.

ALTERNATIVES CONSIDERED

The City Council could decline to authorize the City Manager to provide the requested correspondence but staff does not recommend this alternative as it would distinguish the City as uninvolved in the process of water planning.

DISCUSSION

On November 20, 2006, the Monterey Peninsula Water Management Board reviewed current replacement and future water needs for the Monterey Peninsula. The Board requested that each member agency (Peninsula cities, Airport District, and County unincorporated area) review and provide written comment on the proposed water targets.


MPWMD estimates current replacement need at 12,500 acre-feet per year. This replacement need would restore Cal-Am's existing diversions from the Carmel River that exceed their legal rights as well as existing diversions from the Seaside Basin that exceed Cal-Am's adjudicated rights. The table included as Attachment 2 identifies the specific replacement requirements.

MPWMD estimates the future need of its member agencies at 4,500 acre-feet per year. This

figure is based on "build-out" estimates established by the general plans of each member agency. MPWMD estimates that the future need of the City of Monterey is 705 acre-feet – a figure that is higher than staff's initial calculations. The table, included as Attachment 3, identifies specific future needs requirements.

Through work on MPWMD's Technical Advisory Committee, staff has reviewed replacement water needs and helped plan the future water needs figures. Both target yields have been thoroughly researched and calculated for consideration of a water supply project to satisfy outstanding requirements as well as the general plan needs of MPWMD member agencies. Staff believes the target yields are accurate, reasonable, and adequate. Accordingly, staff recommends transmittal of the attached correspondence approving the proposed target yields.


Chip Rering, AICP
Senior Planner


Approved by Wm. E. Reichmuth, P.E.
Director of Plans, Engineering and Environmental Compliance

CR:TL

- Attachments:
1. Correspondence from David A. Berger of the Monterey Peninsula Water Management District dated November 30, 2006.
 2. MPWMD Replacement Requirements dated November 1, 2006.
 3. MPWMD Long-term Water Needs dated September 2005.
 4. Draft correspondence from Fred Meurer to the Monterey Peninsula Water Management District dated March 20, 2007.

c: David Berger, Monterey Peninsula Water Management District, P.O. Box 85, Monterey, CA 93942



Resource Management Services

440 Harcourt Avenue
Seaside, CA 93955

Telephone (831) 899-6825
FAX (831) 899-6311
TDD (831) 899-6207

March 13, 2007

Mr. David Berger
General Manager
Monterey Peninsula Water Management District (MPWMD)
5 Harris Court, Building G
PO Box 85
Monterey, CA 93940

RECEIVED

MAR 16 2007

MPWMD

Re: Current and Future Water Needs Estimate

Dear Mr. Berger:

This letter is written in response to the November 20, 2006 Monterey Peninsula Water Management District (MPWMD) Board request for a determination of current and future water needs and as discussed in the Joint Policy Advisory(PAC)/Technical Advisory (TAC0 committee meeting held on January 9, 2007.

The City of Seaside City Council at their February 15, 2007 meeting confirmed the projected water needs determination as developed by the MPWMD in conjunction with the land use jurisdictions, the MPWMD Technical Advisory Committee (TAC) and the Policy Advisory Committee (PAC). The City Council confirmed the water needs projections as follows and directed staff to send a letter of confirmation:

- Current Replacement Need 12,500 Acre Feet per year
- Future Projected Need 4,500 Acre Feet per year

This confirmation and support for these amount of water projected is based on the understanding that these quantities are for planning purposes only and are to be used by the MPWMD Board in providing a response to the scope of alternatives to be included in the Environmental Impact Report (EIR) for a proposed desalination plant in Moss Landing, which California American Water Company (Cal-Am) has submitted for California Public Utilities Commission approval. The quantities above are not for future allocation purposes.

The City Council has also requested that their concerns be expressed with regards to the conditions and assumptions in which these numbers were derived. Please ensure that with these quantities, a description of how water consumption has been greatly affected due to the high conservation measures that the residents have utilized, the effects of State Order 95-10, and the significantly high cost of water should be acknowledged. Furthermore, assumptions on the implications of the adjudication of the Seaside Basin and the existing and future conditions of the

Mr. David Berger
MPWMD General Manager
March 13, 2007
Page two


Re: Current and Future Water Needs Estimate

Los Padre Reservoir has and may in the future also greatly influence the analysis of these water quantities and should also be included when providing these estimates.

I would like to take this opportunity to thank you and your staff for all of the hard work of preparing and analyzing the data including coordinating this effort among the affected jurisdictions. I would especially like to thank Ms. Stephanie Pintar and Mr. Darby Fuerst for their assistance and technical expertise.


If you have any questions or concerns regarding this matter, please do not hesitate in contacting me at (831) 899-6825.

Sincerely,



Diana Ingersoll
Deputy City Manager
Resource Management Services

C: Mayor and City Council
Ray Corpuz, City Manager



February 9, 2007

RECEIVED

FEB 12 2007

MPWMD

Mr. Dave Berger, General Manager
Water Management District
5 Harris Court
P.O. Box 85
Monterey, California 93942

Dear Dave:

As requested by your Board, the City Council of Sand City reviewed the existing and projected water demand figures developed by your staff. On February 6, 2007, the Council agreed to using those figures for evaluation purposes within the environmental impact report (EIR) on the Coastal Water Project (CWP). They also stated there should be a "reality check" in the EIR validating the 12,500 acre-feet per year being calculated as a "reasonable replacement of existing water demand", given the aggressive water conservation that has occurred since 1995.

Sincerely,

Steve Matarazzo
Community Development Director

City Hall
1 Sylvan Park,
Sand City, CA
93955

Administration
(831) 394-3054

Planning
(831) 394-6700

FAX
(831) 394-2472

Police
(831) 394-1451

FAX
(831) 394-1038

Incorporated
May 31, 1960